

## <Journal Paper>

1. G. Qin and Y. Ohishi, "Cascaded Two Wavelength Lasers and Their Effects on C - Band Amplification Performance for Er<sup>3+</sup> doped Fluoride Fiber", IEEE Journal of Quantum Electronics., Vol. 43, No. 4, pp. 316-321, April 2007.
2. S. Khonthon, S. Morimoto, Y. Arai, and Y. Ohishi, "Luminescence Characteristics of Te- and Bi-Doped Glasses and Glass-Ceramics", Journal of the Ceramics Society of Japan, Vol. 115, No. 1340, pp. 259-263, April 2007.
3. S. Khonthon, S. Morimoto, and Y. Ohishi, "Luminescence Characteristics of Ni<sup>2+</sup> Ion-Doped Glasses and Glass-Ceramics in Relation to Its Coordination Number", Journal of Solid Mechanics and Materials Engineering, Vol. 1, No. 4, pp. 439-446, April 2007.
4. R. Jose and Y. Ohishi, "Higher nonlinear indices, Raman gain coefficients, and bandwidths in TeO<sub>2</sub>-ZnO-Nb<sub>2</sub>O<sub>5</sub>-MoO<sub>3</sub> quaternary glass system", Applied Physics Letters, Vol. 90, No. 21, pp. 211104-1-3, May 2007.
5. G. Qin, R. Jose, and Y. Ohishi, "Stimulated Raman scattering in tellurite glasses as a potential system for slow light generation", Journal of Applied Physics, Vol. 101, No. 9, pp. 093109-1-5, May 2007.
6. T. Suzuki, Y. Arai, and Y. Ohishi, "Synthesis of Nickel-doped Transparent Glass-ceramics for Ultra-broadband Optical Fiber Amplifiers", Ceramist, Vol. 10, No.3, pp. 28-33, June 2007.
7. Y. Arai, T. Suzuki, Y. Ohishi, S. Morimoto, and S. Khonthon, "Ultrabroadband near-infrared emission from a colorless bismuth-doped glass", Applied Physics Letters, Vol. 90, No. 26, pp. 261110-1-3, June 2007.
8. R. Jose, G. Qin, Y. Arai, and Y. Ohishi, "Enhanced Nonlinear Susceptibility in TeO<sub>2</sub>-BaO-SrO-Nb<sub>2</sub>O<sub>5</sub> Tellurite Glasses", Japanese Journal of Applied Physics., Vol. 46, No. 26, pp. L651-L653, June 2007.
9. R. Jose, Y. Arai, and Y. Ohishi, "Raman scattering characteristics of the TBSN-based tellurite glasses as new raman gain medium", Journal of the Optical Society of America B., Vol. 24, No. 7, pp. 1517-1526, July 2007.
10. G. Qin, A. Mori, and Y. Ohishi, "Brillouin lasing in a single-mode tellurite fiber", Optics Letters, Vol. 32, No. 15, pp. 2179-2181, August 2007.
11. G. Qin, H. Sotobayashi, M. Tsuchiya, A. Mori, and Y. Ohishi, "Stimulated Brillouin Amplification in a Tellurite Fiber as a Potential System for Slow Light Generation", Japanese Journal of Applied Physics, Vol. 46, No. 34, pp. L810-

L812, August 2007.

12. G. Qin, R. Jose, and Y. Ohishi, "Design of Ultimate Gain-Flattened O, E, and S + C + L Ultra-Broadband Fiber Amplifiers Using a New Fiber Raman Gain Medium", IEEE Journal of Lightwave Technology, Vol. 25, No. 9, pp. 2727-2738, September 2007.
13. 荒井雄介, “第 21 回国際ガラス会議 (ICG) 参加報告－3 －オブティクス 関連セッションを中心に－”, NEW GLASS, Vol. 22, No. 3, pp. 56-59, September 2007.
14. 大石泰丈, “新ファイバーラマン増幅媒体研究の現状”, NEW GLASS, Vol. 22, No. 3, pp. 29-34, September 2007.
15. T. Yamashita and Y. Ohishi, “Amplification and Lasing Characteristics of Tb<sup>3+</sup>-doped Fluoride Fiber in the 0.54μm Band”, Japanese Journal of Applied Physics, Vol. 46, No. 41, pp. L991-L993, October 2007.
16. G. Qin, T. Yamashita, Y. Arai, T. Suzuki, and Y. Ohishi, “22 dB all-fiber green amplifier using Er<sup>3+</sup>-doped fluoride fiber”, Optics Communications, Vol. 279, No. 2, pp. 298-302, November 2007.
17. L. Huang, G. Qin, Y. Arai, R. Jose, T. Suzuki, Y. Ohishi, T. Yamashita and Y. Akimoto, “Crystallization kinetics and spectroscopic investigations on Tb<sup>3+</sup> and Yb<sup>3+</sup> codoped glass ceramics containing CaF<sub>2</sub> nanocrystals”, Journal of Applied Physics, Vol. 102, No. 9, pp. 093506-1-8, November 2007.
18. L. Huang, T. Yamashita, G. Qin, T. Suzuki, and Y. Ohishi, “Intense Ultraviolet Upconversion Emissions from Tb<sup>3+</sup>- and Yb<sup>3+</sup>-codoped Phosphate Glasses”, Japanese Journal of Applied Physics, Vol. 46, No. 47, pp. L1161-L1163, November 2007.
19. G. Qin, T. Suzuki, and Y. Ohishi, “Power dependence of Brillouin linewidths in a silica fiber”, Optics Letters, Vol. 32, No. 21, pp. 3155-3157, November 2007.
20. T. Yamashita and Y. Ohishi, “Concentration and temperature effects on spectroscopic properties of Tb<sup>3+</sup>-doped borosilicate glasses”, Journal of Applied Physics, Vol. 102, No. 12, pp. 123107-1-13, December 2007.
21. 荒井雄介, “はばたけ!次世代を担う若手ガラス研究者-ガラスと光に魅せられて”, NEW GLASS, Vol. 22, No. 4, pp. 37-39, December 2007.
22. Y. Arai, G. Qin, T. Suzuki, Y. Ohishi, T. Tani, and S. Saeki, “Organic-inorganic hybrid transparent materials containing chromium ion-doped forsterite crystals as

gain media”, Applied Physics Letters, Vol.92, No.4, pp. 041120-1-3, January 2008.

23. G. Qin, T. Suzuki, and Y. Ohishi, “Stable gain-switched 845nm pulse generation by a weak 1550nm seed laser”, Optics Letters, Vol.33, No.3, pp.249-251, February 2008.
24. R. Jose, G. Qin, Y. Arai, and Y. Ohishi, “Tailoring of Raman gain band-width of tellurite glasses for designing gain-flattened fiber Raman amplifiers”, Journal of the Optical Society of America B., Vol. 25, No. 3, pp. 373-382, March 2008.
25. G. Qin, H. Sotobayashi, M. Tsuchiya, A. Mori, T. Suzuki, and Y. Ohishi, “Stimulated Brillouin scattering in a single-mode tellurite fiber for amplification, lasing, and slow light generation”, IEEE J. Lightwave Technology, Vol.26, No.5, pp.492-498, March 2008.
26. 大石泰丈, “ガラス研究機関紹介－豊田工業大学先端フォトンテクノロジー研究センター”, NEW GLASS 88, Vol.23, No. 1, pp. 58-60, March 2008.

#### <Proceedings>

1. T. Yamashita and Y. Ohishi, “Energy transfer analysis between  $Tb^{3+}$  and  $Yb^{3+}$  codoped in silicate glasses under the  $0.98\mu m$  excitation”, Conference on Lasers and Electro-Optics (CLEO) 2007, CMW3, Baltimore, USA, May 2007.
2. R. Jose and Y. Ohishi, “Higher Raman Scattering Cross-Sections, Bandwidths, and Nonlinear Indices in the  $TeO_2-ZnO-Nb_2O_5-Mo_2O_3$  Quaternary Glass System”, Conference on Lasers and Electro-Optics (CLEO) 2007, CMGG5, Baltimore, USA, May 2007.
3. G. Qin, T. Yamashita, and Y. Ohishi, “Optical amplification at  $0.54\mu m$  by  $Er^{3+}$ -doped fluoride fiber”, Conference on Lasers and Electro-Optics (CLEO) 2007, JTxA68, Baltimore, USA, May 2007.
4. G. Qin, T. Yamashita, and Y. Ohishi, “Cascaded two wavelength lasers and their effects on C-band amplification performance for  $Er^{3+}$ -doped fluoride fiber”, Conference on Lasers and Electro-Optics (CLEO) 2007 , JTxA57, Baltimore, USA, May 2007.
5. T. Yamashita and Y. Ohishi, “Efficient energy transfer from  $Yb^{3+}$  to  $Tb^{3+}$  for the  $0.54 \mu m$  band laser”, European Conference on Lasers and Electro-Optics and the

International Quantum Electronics Conference (CLEO/Europe-IQEC) 2007, CJ-4-TUE, Munich, Germany, June 2007.

6. L. Huang,, T. Yamashita, R. Jose, Y. Arai, T. Suzuki, and Y. Ohishi, “A new UV Laser Media: Tb<sup>3+</sup> and Yb<sup>3+</sup> Codoped Oxyfluoride Glass-Ceramic Containing CaF<sub>2</sub> Nanocrystals” European Conference on Lasers and Electro-Optics and the International Quantum Electronics Conference (CLEO/Europe-IQEC) 2007, CE-19-TUE, Munich, Germany, June 2007.
7. Y. Arai, T. Suzuki, Y. Ohishi, and S. Morimoto, “A Novel Bismuth-Doped Soda-Lime-Silicate Glass as Ultra-Broadband Near-Infrared Gain Media”, European Conference on Lasers and Electro-Optics and the International Quantum Electronics Conference (CLEO/Europe-IQEC) 2007, Munich, Germany, CE9-2-THU, June 2007.
8. Y. Ohishi, “Glass Material Technology for Optical Amplification Media: Past, Present and Future”, 12<sup>th</sup> Optoelectronics and Communications Conference/ 16<sup>th</sup> International Conference on Integrated Optics and Optical Fiber Communication (OECC/IOOC2007), Yokohama, Japan, 12C3-1(Tutorial), July 2007.
9. L. Huang, T. Yamashita, R. Jose, Y. Arai, and Y. Ohishi, “Spectroscopic and Structural Investigations on Tb<sup>3+</sup> and Yb<sup>3+</sup> Codoped Oxyfluoride Glass-Ceramic Containing CaF<sub>2</sub> Nanocrystals”, XXIst International Congress on Glasses, J67, Strasbourg, France, July 2007.
10. Y. Arai, T. Suzuki, Y. Ohishi, T. Tani, and S. Saeki, “New Organic-Inorganic Hybrid Materials Containing Transition Metal Ion-Doped Nano-Crystals as Transparent Gain Media”, XXIst International Congress on Glasses, J36, Strasbourg, France, July 2007.
11. Y. Arai, T. Suzuki, and Y. Ohishi, “Spectroscopic Properties of Bismuth Ion-Doped Lithium-Alumino-Silicate Glasses for Ultra-Broadband Near-Infrared Gain Media”, XXIst International Congress on Glass, M21, Strasbourg, France, July 2007.
12. G. S. Murugan, and Y. Ohishi, “OPTICAL NONLINEARITIES OF TELLURITE GLASSES WITH ULTRAWIDE RAMAN BANDS”, XXIst International Congress on Glass, M20, Strasbourg, France, July 2007.
13. R. Jose, G. Qin, and Y. Ohishi, “Tailoring of Raman gain coefficients and gain bandwidths in tellurite glasses”, XXIst International Congress on Glass, M19, Strasbourg, France, July 2007.
14. (Invited) Y. Ohishi, “New Stage of Lightwave Processing Device Glass”, XXIst

International Congress on Glass, M2, Strasbourg, France, July 2007.

15. Y. Arai, T. Suzuki, and Y. Ohishi, "Tellurium Ion-Doped Transparent Glass-Ceramics as A Novel Active Medium for Broadband Near-Infrared Amplifiers and Tunable Lasers", XXIst International Congress on Glass, M6, Strasbourg, France, July 2007.
16. Y. Ohishi, T. Yamashita, G. Qin, and T. Suzuki, "Possibility of New Green Optical Gain Media", International Commission on Glass TC20 Annual Meeting 2007, Strasbourg, France, July 2007.
17. G. Qin, R. Jose, and Y. Ohishi, "Design of ultimate gain-flattened broadband O, E, and S+C+L fiber amplifiers by a new fiber Raman gain medium", 33rd European Conference and Exhibition on Optical Communication (ECOC2007), pp. 33-34, Berlin, Germany, September 2007.
18. T. Yamashita and Y. Ohishi, "Gain analysis for  $Tb^{3+}$ -doped fluoride fiber in the 0.54  $\mu m$  band", 33rd European Conference and Exhibition on Optical Communication (ECOC2007), pp. 31-32, Berlin, Germany, September 2007.
19. G. Qin, H. Sotobayashi, M. Tsuchiya, A. Mori and Y. Ohishi, "Stimulated Brillouin amplification in a tellurite fiber as a potential system for slow light generation", 33rd European Conference and Exhibition on Optical Communication (ECOC2007), pp. 145-146, Berlin, Germany, September 2007.
20. G. Qin, R. Jose, T. Suzuki, and Y. Ohishi, "Stimulated Raman and Brillouin scattering in tellurite glasses for slow light generation", SPIE Active and Passive Optical Components for Communications VII, Vol. 6775, pp. 67750Y-1-10, Boston, USA, September 2007.
21. T. Yamashita, Y. Arai, T. Suzuki, and Y. Ohishi, "Frequency upconversion analysis for  $Tb^{3+}$ - $Yb^{3+}$  co-doped system in glass materials", SPIE Active and Passive Optical Components for Communications VII, Vol. 6775, pp. 67750V-1-10, Boston, USA, September 2007.
22. G. Qin, T. Suzuki and Y. Ohishi, "Simultaneous 853 nm + 1533 nm amplification, and wavelength conversion between 1533 nm and 853 nm in  $Er^{3+}$ -doped fluoride fiber", SPIE Optical Components and Materials V (Photonics West 2008), SPIE Vol. 6890, pp. 689012-1-9, San Jose, USA, January 2008.
23. Y. Arai, G. Qin, T. Suzuki, Y. Ohishi, T. Yano and S. Shibata, "Tellurite glass micro-superspheres as broadband Raman resonator", SPIE Optical Components and Materials V (Photonics West 2008), Vol. 6890, pp.689009-1-8, San Jose, USA, January 2008.

24. Y. Arai, T. Yamashita, S. Horiguchi, T. Suzuki and Y. Ohishi, “Visible emission of Tb<sup>3+</sup>-Yb<sup>3+</sup> co-doped fluorophosphate glasses”, SPIE Optical Components and Materials V (Photonics West 2008), Vol. 6890, pp. 689003-1-9, San Jose, USA, January 2008.
25. G. Qin, T. Yamashita, Y. Arai, T. Suzuki, and Y. Ohishi, “22dB all-fiber green amplifier using Er<sup>3+</sup>-doped fluoride fiber”, SPIE Optical Components and Materials V (Photonics West 2008), Vol. 6890, pp. 68900Y-1-6, San Jose, USA, January 2008.
26. T. Yamashita, G. Qin, T. Suzuki and Y. Ohishi, “A New Green Fiber Laser Using Terbium-Doped Fluoride Fiber”, Optical Fiber Communication Conference and Exposition and National Fiber Optic Engineers Conference (OFC/NFOEC 2008), JWA18, San Diego, USA, February 2008.
1. 大石泰丈, “光波制御素子材料研究の最近の展開”, 第 99 回ニューガラス研究会, 大阪キャッスルホテル, 大阪市, May 2007.
  2. T. Yamashita, and Y. Ohishi, “Optical amplification at 0.54 μm by Tb<sup>3+</sup>-doped fluoride fiber”, 豊田工業大学における文部科学省私立大学学術研究高度化推進事業 10 周年記念シンポジウム, 豊田工業大学, 名古屋, June 2007.
  3. R. Jose, and Y. Ohishi, “Optical Properties of TeO<sub>2</sub>-ZnO-Nb<sub>2</sub>O<sub>5</sub>-MoO<sub>3</sub> Glass System”, 豊田工業大学における文部科学省私立大学学術研究高度化推進事業 10 周年記念シンポジウム, 豊田工業大学, 名古屋, June 2007.
  4. L. Huang, T. Yamashita, Y. Arai, T. Suzuki, and Y. Ohishi, “Investigation on crystallization kinetics of Tb<sup>3+</sup> and Yb<sup>3+</sup> codoped glass ceramic containing CaF<sub>2</sub> nanocrystals”, 豊田工業大学における文部科学省私立大学学術研究高度化推進事業 10 周年記念シンポジウム, 豊田工業大学, 名古屋, June 2007.
  5. G. Qin, R. Jose, and Y. Ohishi, “Design of ultimate gain-flattened broadband O, E, and S+C+L fiber amplifiers by a new fiber Raman gain medium”, 豊田工業大学における文部科学省私立大学学術研究高度化推進事業 10 周年記念シンポジウム, 豊田工業大学, 名古屋, June 2007.
  6. Y. Arai, T. Suzuki, and Y. Ohishi, “Spectroscopic properties of bismuth -doped silicate glasses for ultra-broadband near-infrared gain media”, 豊田工業大学における文部科学省私立大学学術研究高度化推進事業 10 周年記念シンポジウム, 豊田工業大学, 名古屋, June 2007.

7. 大石泰丈, “新プロジェクトの紹介—超オクターブ光波制御プロジェクト—”, 豊田工業大学における文部科学省私立大学学術研究高度化推進事業 10 周年記念シンポジウム, 豊田工業大学, 名古屋, June 2007.
8. T. Yamashita and Y. Ohishi, “Energy transfer analysis between Tb<sup>3+</sup> and Yb<sup>3+</sup> codoped in silicate glasses under the 0.98 μm excitation”, 豊田工業大学における文部科学省私立大学学術研究高度化推進事業 10 周年記念シンポジウム, 豊田工業大学, 名古屋, June 2007.
9. R. Jose, G. Qin, Y. Arai, and Y. Ohishi, “Enhanced nonlinear susceptibility in TBSN based glasses”, 豊田工業大学における文部科学省私立大学学術研究高度化推進事業 10 周年記念シンポジウム, 豊田工業大学, 名古屋, June 2007.
10. R. Jose and Y. Ohishi, “Anomalous Optical Properties of MoO<sub>3</sub> in Tellurite Glasses”, 豊田工業大学における文部科学省私立大学学術研究高度化推進事業 10 周年記念シンポジウム, 豊田工業大学, 名古屋, June 2007.
11. L. Huang, T. Yamashita, R. Jose, Y. Arai, and Y. Ohishi, “Spectroscopic investigation on Tb<sup>3+</sup> and Yb<sup>3+</sup> codoped oxyfluoride glass ceramic containing CaF<sub>2</sub> nanocrystals”, 豊田工業大学における文部科学省私立大学学術研究高度化推進事業 10 周年記念シンポジウム, 豊田工業大学, 名古屋, June 2007.
12. Y. Arai, T. Suzuki, Y. Ohishi, T. Tani, and S. Saeki, “New organic-inorganic hybrid materials containing transition metal ion-doped nano-crystals as transparent gain media”, 豊田工業大学における文部科学省私立大学学術研究高度化推進事業 10 周年記念シンポジウム, 豊田工業大学, 名古屋, June 2007.
13. 山下達弥, 大石泰丈, “Tb<sup>3+</sup>-Yb<sup>3+</sup>共添加シリケートガラスにおけるエネルギー移動の添加イオン濃度依存性”, 日本セラミックス協会第 20 回秋季シンポジウム, 2P2-12, 名古屋工業大学, 名古屋, September 2007.
14. 荒井雄介, 山下達弥, 堀口晋, 鈴木健伸, 大石泰丈, “Tb<sup>3+</sup>-Yb<sup>3+</sup>共添加フッリン酸塩ガラスの可視発光特性”, 日本セラミックス協会第 20 回秋季シンポジウム, 2P2-05, 名古屋工業大学, 名古屋, September 2007.
15. G. Qin, R. Jose, 鈴木健伸, 荒井雄介, 大石泰丈, “テルライトガラスの Raman 利得制御とスローライト発生の検討”, 日本セラミックス協会第 20 回秋季シンポジウム, 2P2-04, 名古屋工業大学, 名古屋, September 2007.

16. 鈴木健伸, 荒井雄介, G. Qin, 大石泰丈, “Ni: MgGa<sub>2</sub>O<sub>4</sub> 単結晶の FZ 法による作製と広帯域近赤外発光”, 2007 年秋季第 68 回応用物理学会学術講演会, 7p-F-4, 北海道工業大学, 北海道, September 2007.
17. 山下達弥, 大石泰丈, “Tb<sup>3+</sup>-Yb<sup>3+</sup>共添加シリケートガラスにおけるエネルギー移動の添加濃度依存性”, 2007 年秋季第 68 回応用物理学会学術講演会, 6p-N-8, 北海道工業大学, 北海道, September 2007.
18. 荒井雄介, 鈴木健伸, 大石泰丈, 佐伯周, 谷孝夫, “Cr: Mg<sub>2</sub>SiO<sub>4</sub> ナノ結晶分散・透明利得媒体の作製と評価”, 2007 年秋季第 68 回応用物理学会学術講演会, 北海道工業大学, 北海道, September 2007.
19. (Invited) 大石泰丈, “光波制御のための光導波路用ガラス”, 第2回ガラス科学技術研究会”光を制御するガラスのナノテクノロジー”, ニューガラスフオーラム本部, 東京, October 2007.
20. S. Khonthon, P. Punpai, S. Morimoto, Y. Arai, and Y. Ohishi, “Near-infrared luminescent center of Te-containing glasses”, 第48回ガラスおよびフォトニクス材料討論会, P06, 豊橋科学技術大学, 豊橋, November 2007.
21. S. Khonthon, S. Morimoto, Y. Arai, and Y. Ohishi, “Melting temperature and glass composition dependence on the NIR luminescence characteristics of Bi-containing borate glasses”, 第48回ガラスおよびフォトニクス材料討論会, 豊橋科学技術大学, 1A02, 豊橋, November 2007.
22. (Invited) 大石泰丈, “光波制御素子材料研究の最近の展開”, 平成 19 年度日本セラミックス協会東海支部学術研究発表会, 名城大学, 名古屋, December 2007.
23. 鈴木健伸, 大石泰丈, “高効率広帯域光増幅器用 Ni 添加透明結晶化ガラスの創製 II”, 平成 19 年度日本セラミックス協会東海支部学術研究発表会, 名城大学, 名古屋, December 2007.
24. 鈴木健伸, 大石泰丈, “高効率広帯域光増幅器用 Ni 添加透明結晶化ガラスの創製 I”, 平成 19 年度日本セラミックス協会東海支部学術研究発表会, A15, 名城大学, 名古屋, December 2007.
25. 大石泰丈, G. Qin, 鈴木健伸, “テルライト光ファイバの slow light 生成特性”, The 18th Meeting on Glasses for Photonics, 東京工業大学, 東京, January 2008.

26. 荒井雄介, 山下達弥, 堀口晋, 鈴木健伸, 大石泰丈, “Tb<sup>3+</sup>-Yb<sup>3+</sup>共添加フッリン酸塩ガラスにおける可視発光特性の解析”, The 18th Meeting on Glasses for Photonics, 東京工業大学, 東京, January 2008.
27. 山下達弥, 大石泰丈, “Tb<sup>3+</sup>添加フッ化物ガラスの 0.54μm 帯光増幅及びレーザ発振”, The 18th Meeting on Glasses for Photonics, 東京工業大学, 東京, January 2008.
28. 大石泰丈, G. Qin, 鈴木健伸, 荒井雄介, “テルライト光ファイバの誘導ブリルアン散乱特性とスローライト生成”, 文部科学省科学研究費補助金特定領域研究”新世代光通信へのイノベーション”第 3 回公開シンポジウム, ホテルフロラシオン青山, 東京, January 2008.
29. 岸哲生, アユブシティヌル アイザン, 曽我公平, 安盛敦雄, 荒井雄介, 鈴木健伸, 大石泰丈, “Eu 添加 Na<sub>2</sub>O-B<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub> 系分相ガラスの光吸収および発光特性”, 日本セラミックス協会 2008 年年会, 3E 08, 長岡技術科学大学, 新潟, March 2008.
30. (Invited) 大石泰丈, “光波制御のための光導波路用ガラスおよび機能素子の研究開発”, 日本セラミックス協会 2008 年年会, 長岡技術科学大学, 新潟, March 2008.
31. 荒井雄介, 鈴木健伸, 大石泰丈, 矢野哲司, 柴田修一, “テルライトガラス超半球による広帯域ラマン散乱光の共振”, 2008 年春季第 55 回応用物理学関係連合講演会, 29a-ZY-7, 日本大学, 千葉, March 2008.
32. 山下達弥, 大石泰丈, “Tb<sup>3+</sup>添加ファイバによる連続グリーンレーザ発振”, 電子情報通信学会 2008 年総合全国大会, C-4-7, 北九州大学, 北九州, March 2008.
33. C. Chaudhari, T. Suzuki, and Y. Ohishi, “Group velocity dispersion in chalcogenide As<sub>2</sub>S<sub>3</sub> glass nanofibers”, 先端フォトンテクノロジー研究センター第 9 回シンポジウム, 豊田工業大学, 名古屋, March 2008.
34. M. Hughes, T. Suzuki, and Y. Ohishi, “Advanced bismuth doped germanate glass for broadband optical gain devices”, 先端フォトンテクノロジー研究センター第 9 回シンポジウム, 豊田工業大学, 名古屋, March 2008.
35. M. Liao, T. Yamashita, L. Huang, Y. Arai, T. Suzuki, and Y. Ohishi, “Relaxation process of the <sup>4</sup>I<sub>13/2</sub> level of Er<sup>3+</sup> in a borosilicate glass”, 先端フォトンテクノロジー研究センター第 9 回シンポジウム, 豊田工業大学, 名古屋, March 2008.

36. G. Qin, T. Suzuki, and Y. Ohishi, “Stable gain-switched 845 nm pulse generation by a weak 1550 nm seed laser”, 先端フォトンテクノロジー研究センター第 9 回シンポジウム, 豊田工業大学, 名古屋, March 2008.
37. G. Qin, H. Sotobayashi, M. Tsuchiya, A Mori, T. Suzuki, and Y. Ohishi, “Highly efficient Brillouin slow light generation using a single mode tellurite fiber”, 先端フォトンテクノロジー研究センター第 9 回シンポジウム, 豊田工業大学, 名古屋, March 2008.
38. G. Qin, T. Suzuki, Y. Ohishi, and A. Mori, “Widely Tunable Brillouin Comb Laser in a Single-mode Tellurite Fiber”, 先端フォトンテクノロジー研究センター第 9 回シンポジウム, 豊田工業大学, 名古屋, March 2008.
39. 山下達弥, G. Qin, 大石泰丈, “ $Tb^{3+}$ 添加ファイバによる連続グリーンレーザ発振”, 先端フォトンテクノロジー研究センター第 9 回シンポジウム, 豊田工業大学, 名古屋, March 2008.
40. 山下達弥, 大石泰丈, “ $Tb^{3+}$ - $Yb^{3+}$ イオン間エネルギー移動のイオン濃度依存性”, 先端フォトンテクノロジー研究センター第 9 回シンポジウム, 豊田工業大学, 名古屋, March 2008.
41. 荒井雄介, 山下達弥, 堀口晋, 鈴木健伸, 大石泰丈, “ $Tb^{3+}$ - $Yb^{3+}$ 共添加フツリン酸塩ガラスにおける可視発光特性の解析”, 先端フォトンテクノロジー研究センター第 9 回シンポジウム, 豊田工業大学, 名古屋, March 2008.
42. 荒井雄介, 鈴木健伸, 大石泰丈, K. Sasithorn, 森本繁樹, “新規 Te 添加近赤外発光媒体の光学特性”, 先端フォトンテクノロジー研究センター第 9 回シンポジウム, 豊田工業大学, 名古屋, March 2008.
43. 鈴木健伸, 荒井雄介, 大石泰丈, “フローティングゾーン法により作製した Ni 添加  $MgGa_2O_4$  単結晶の光学特性”, 先端フォトンテクノロジー研究センター第 9 回シンポジウム, 豊田工業大学, 名古屋, March 2008.